

Heavy Duty Prespray SC

Revision: 2024-07-31 **Version:** 01.0

1. IDENTIFICATION

Product name: Heavy Duty Prespray SC SDS #: MS0800503

SDS #: MS0800503
Recommended use: • Industrial/Institutional

Carpet Care

This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersDiversey Canada, Inc.Diversey, Inc.6150 Kennedy Road Unit 31300 Altura Rd., Suite 125Mississauga, Ontario L5T 2J4

1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Phone: 1-800-668-7171

Classification for the undiluted product

Serious eye damage, Category 1



Signal word: Danger.

Hazard Statements

CAUSES SERIOUS EYE DAMAGE.

Precautionary Statements

Causes burns, serious damage to mouth, throat and stomach. Keep container tightly closed. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product 1:40

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard and Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium etasulfate	126-92-1	5 - 10%

Alcohol, C9-C11, ethoxylated	68439-46-3	3 - 7%
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: Rinse with plenty of water. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Suitable extinguishing media:

Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up. and clean-up methods:

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
2-(2-butoxyethoxy)ethanol	10 ppm (TWA)	-

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Heavy Duty Prespray SC 2 of 5 **Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection: No personal protective equipment required under normal use conditions.

Respiratory protection: No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors

are not adequately controlled by ventilation, use appropriate respiratory protection to avoid

over-exposure.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Skin and body protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidColor:Clear, YellowEvaporation Rate:No information availableOdor:FloralFruity

Odor threshold: No information available.

Boiling point/range: Not determined

Melting point/freezing point (°C): Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 1.058 Kg/L

Bulk density: No information available

Relative Density (relative to water): 1.06

Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93 °C Partition coefficient (n-octanol/water): No information available

Kinematic viscosity mPa.s Elemental Phosphorus: 0.00 % by wt.

12

VOC: 1.5 % * **pH:** ≈ 8.2

Flammability (Solid or Gas): Not applicable Corrosion to metals: Not corrosive to metals

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH: ≈ 7.78

Dilution Flash Point (°F): > 200 °F > 93.3 °C

VOC % by wt. at use dilution: 0.04 %

10. STABILITY AND REACTIVITY

Reactivity:
Stability:
Possibility of hazardous reactions:

Not Applicable
The product is stable
None known

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

Heavy Duty Prespray SC 3 of 5

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

difficulty breathing.

Sensitization: No known effects. **Target Organs (SE):** None known

Target Organs (RE):

<u>Carcinogen Listings:</u> Isopropyl alcohol is only classified as an IARC 1 carcinogen & OSHA due to possible exposure to sulfuric acid mist that can be generated during its manufacture. We do not manufacture isopropyl alcohol; therefore, it is not considered a carcinogen in our products.

Numerical measures of toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: NOT REGULATED

IMDG (Ocean) Bill of Lading Description: NOT REGULATED

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt
DSL All components are listed or otherwise exempt

WARNING: This product can expose you to chemicals including Benzophenone which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Heavy Duty Prespray SC 4 of 5

US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	=	-
Sodium etasulfate	126-92-1	-	-	-	=
Alcohol, C9-C11, ethoxylated	68439-46-3	-	-	-	=
Proprietary	Proprietary	-	-	-	=
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	164462-16-2	-	-	-	-
2-(2-butoxyethoxy)ethanol	112-34-5	-	Х	=	=
Isopropyl alcohol	67-63-0	X	Х	X	=
Benzophenone	119-61-9	-	-	=	=

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-(2-butoxyethoxy)ethanol	X		

Canadian Regulations

Ingredient(s)	CAS#	NPRI
2-(2-butoxyethoxy)ethanol	112-34-5	X
Isopropyl alcohol	67-63-0	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

Diluted Product:

Health 0 Flammability 0 Instability 0 Special Hazards -

Revision: 2024-07-31 **Version:** 01.0

Reason for revision: Not applicable

Prepared by: North American Regulatory Affairs

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Heavy Duty Prespray SC 5 of 5