

KARATE GARAGE FLOOR CLEANER

SECTION 1. IDENTIFICATION

Product Identifier KARATE GARAGE FLOOR CLEANER

Other Means of Identification

026WIP

Recommended Use

Floor Degreaser.

Manufacturer

Lawrason's, Inc, 460 Wyecroft Road, Oakville, Ontario, L6K 2G7, (905) 842-8300,

www.Lawrasons.com

Supplier Identifier

Lawrason's, Inc, 460 Wyecroft Road, Oakville, Ontario, L6K 2G7, (905) 842-8300,

www.Lawrasons.com

Emergency Phone No. CANUTEC, 1-888-CAN-UTEC (226-8832), 613-996-6666 or *666 on a cellular phone

SDS No. **Date of Preparation** 34005, 34006, 34008 February 01, 2017

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Acute toxicity (Oral) - Category 4; Acute toxicity (Dermal) - Category 4; Acute toxicity (Inhalation) - Category 4; Skin corrosion - Category 1; Serious eye damage - Category 1

Label Elements



Danger

Hazard Statement(s): Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

Precautionary Statement(s):

Keep out of reach of children.

Wash hands and skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Take off contaminated clothing and wash it before reuse.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: Page June 01, 2018 01 of 07 IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Storage:

Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Sodium Metasilicate	6834-92-0	30.00-60.00		
Sodium carbonate	497-19-8	10.00-30.00		
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	10.00-30.00		
Alcohols, C12-15, ethoxylated, liquids	68131-39-5	1.00-5.00		

Notes

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

If breathing is difficult, move person into fresh air. Keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse skin with water or shower. Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Immediately call a Poison Centre or doctor.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Centre or doctor.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Immediately call a Poison Centre or doctor.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agents compatible with product and suitable for surrounding fire. Carbon dioxide, dry chemical powder or appropriate foam.

Unsuitable Extinguishing Media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Special Protective Equipment and Precautions for Fire-fighters

Use extreme caution. Fight fire from a safe distance or a protected location.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: June 01, 2018 Page 02 of 07

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment.

Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. Do not get in eyes, on skin or on clothing. Do not breathe in this product. Avoid generating vapours or mists.

Conditions for Safe Storage

Store in an area that is: well-ventilated, cool, separate from incompatible materials (see Section 10: Stability and Reactivity), out of direct sunlight and away from heat and ignition sources.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium carbonate	Not established		Not established		Not established	
Sodium Metasilicate	Not established		Not established		Not established	
Phosphoric acid, trisodium salt, dodecahydrate	Not established		Not established		Not established	
Alcohols, C12-15, ethoxylated, liquids	Not established		Not established		Not established	

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots. Wear a chemical splash suit and respiratory protection.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Yellow powder.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: June 01, 2018 Page 03 of 07

Odour Pine

pH 11.50 - 12.50

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/Range> 100 °C (212 °F)Flash PointNot applicableEvaporation RateNot availableFlammability (solid, gas)Not available

Upper/Lower Flammability or

Explosive Limit

Not available (upper); Not available (lower)

Vapour PressureNot applicableVapour Density (air = 1)Not availableRelative Density (water = 1)Not available

Solubility Very soluble in water

Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Solid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible materials. Prolonged exposure to high temperatures. Do not mix with other chemicals.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid), strong acids (e.g. hydrochloric acid).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium carbonate	2.3 mg/L (rat) (2-hour exposure)	4090 mg/kg (rat)	> 2000 mg/kg (rabbit)
Sodium Metasilicate	Not available	Not available	Not available
Phosphoric acid, trisodium salt, dodecahydrate	Not available	7400 mg/kg (rat)	Not available
Alcohols, C12-15, ethoxylated, liquids	Not available	8600 mg/kg (rat)	72000 mg/kg (rabbit)

Skin Corrosion/Irritation

Causes mild skin irritation.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: June 01, 2018 Page 04 of 07

Serious Eye Damage/Irritation

Causes serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Vapours and mist will irritate throat and respiratory system and cause coughing.

Skin Absorption

Causes skin burns.

Ingestion

Harmful if swallowed. Causes digestive tract burns. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. May cause respiratory tract injury.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Sodium carbonate	Not Listed	Not Listed	Not Listed	Not Listed
Sodium Metasilicate	Not Listed	Not Listed	Not Listed	Not Listed
Phosphoric acid, trisodium salt, dodecahydrate	Not Listed	Not Listed	Not Listed	Not Listed
Alcohols, C12-15, ethoxylated, liquids	Not Listed	Not Listed	Not Listed	Not Listed

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Germ Cell Mutagenicity

Not known to be a mutagen.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No information was located.

Persistence and Degradability

Biodegradable.

Bioaccumulative Potential

This product and its degradation products are not expected to bioaccumulate.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: June 01, 2018 Page 05 of 07

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations. This product and its container must be disposed of as hazardous waste. Do NOT dump into any sewers, on the ground or into any body of water.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Environmental Not applicable

Hazards

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 3 Flammability - 0 Instability - 1

SDS Prepared By Technical Manager Phone No. 905-842-8300

Date of Preparation February 01, 2017

Date of Last Revision June 01, 2018

Key to Abbreviations IARC = International Agency for Research on Cancer

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational

Health and Safety (CCOHS).

Additional Information All information is based upon our current knowledge and experience of our product and is not

exhaustive. It applies to the product as defined by the specifications. In case of combinations of mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and integrity of the work environment. (Unless noted to the contrary, the technical information applies only to pure product). To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither Lawrason's, Inc. nor any of its affiliates makes any warranty, express or implied, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. The user alone must finally

determine suitability of any information or material for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes. Lawrason's Inc.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017

Date of Last Revision: June 01, 2018 Page 06 of 07

reserves the right to make additions, deletions or modifications to the information at any time without prior notification.

Disclaimer

While the company believes the data set forth herein are accurate as of the date hereof, the company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.

Product Identifier: KARATE GARAGE FLOOR CLEANER - Ver. 1

Date of Preparation: February 01, 2017



